Healthy Fall 2020



Health and Wellness or Prevention Information

Get the Facts About the Flu and the Flu Vaccine

What is the flu?

The flu is a contagious respiratory illness caused by a virus that infects the nose, throat, and lungs. It spreads through droplets when someone coughs, sneezes, or talks. You can get the flu by touching an object with the virus on it and then touching your face. Most people contract the flu when droplets land directly in their mouth or nose. Symptoms of the flu usually come on quickly, unlike the common cold, which develops gradually. Common symptoms of the flu last for up to two weeks It can be mild or very serious and can even be fatal. The flu season usually peaks between January and March.

Symptoms

- Fever and chills (please note that not everyone will develop a fever; you can have the flu without a fever)
- Cough
- Sore throat
- Runny or stuffy nose
- Muscle or body aches
- Headaches
- Fatigue
- Some people, especially children, experience vomiting and diarrhea
- Some people will be weak and tired for several weeks

Treatment

- Antiviral drugs
- Home remedies can help relieve symptoms
 - Drink more fluids
 - Warm showers, warm compresses
 - Nasal strips
 - Humidifiers
- Over-the-counter decongestants, cough suppressants, and feverreducing medications can also offer relief
- Antibiotics treat bacterial infections and are not effective against the flu, which is a virus

Why should you get the flu shot?

Getting the flu vaccine is the single most important thing that you can do to prevent getting ill from the flu.

- Helps keep you from getting the flu
- Makes the flu less severe
- Prevents complications and death from the flu

Contrary to rumors, you cannot get the flu from the vaccine. The vaccine causes no side effects in most people.

Adding More Fruits and Vegetables to Your Meals and Snacks

The average American does not eat the recommended amount of fruits and vegetables. Only 1% of adults and 2% of kids meet the fruit and veggie recommendations each day! Eating fruits and vegetables is associated with reduced risk of:

- Heart disease
- High blood pressure
 So
 - Some cancers
- Overweight/obesity

Fruits and veggies are full of vitamins and minerals. They help you feel healthy and energized. There are a lot of ways to work fruits and vegetables into your existing meal and snack schedule. Some tips for including more in your meals and snacks include:

- Stack your sandwich high with veggies. Tomato, lettuce, onions, bell peppers, or avocado are good choices.
- Add veggies to your meatloaf. Grated carrots and zucchini, or sliced mushrooms work well!
- Bake apples or pears and top with cinnamon and a touch of honey for a dessert.
- Mix fruit or frozen berries into your yogurt or cereal.
- Add onions, peppers, and mushrooms to a jar of spaghetti sauce.
- Try spaghetti squash or zucchini noodles instead of regular pasta.
- Add veggies to your scrambled eggs and omelets.
- Make yogurt parfaits with berries, nuts, or granola.
- Make veggie quesadillas with peppers, onions, greens, or zucchini. You can add plenty of salsa!
- Add fresh or frozen veggies to a can of soup.

Telehealth

Telehealth

What is telehealth?

Telehealth a safe and effective way for you to see a doctor from your home. You can speak to a doctor via smart phone, tablet or computer-enabled web cam. Telehealth doesn't replace your primary care doctor, but it can helpful if you need to talk to a doctor and cannot make it into a doctor's office.

Telehealth can be useful during the COVID-19 pandemic to maintain continuity of care. This can help avoid delaying preventative, chronic or routine care. It can also benefit those who are vulnerable or at-risk.

Teladoc 1.800.835.2362



What is Teladoc?

Medicaid members have access to Teladoc. Through Teladoc you can have access to a doctor anytime, anywhere. This can help if you need care right away, are thinking about going to the ER or urgent care for a non-emergency, and more. To sign up visit, <u>member.teladoc.com/thehealthplanofwv</u>.

How Much Exercise is Enough?

Many people mistake being busy for being active. Your feet can be aching, and you can feel as though you haven't sat down all day,

but that doesn't mean that you've been physically active! 30 minutes of brisk walking five days a week is enough to lower the risk of many chronic diseases. This includes heart disease, type 2 diabetes, and certain types of cancer.

Increase Your Activity Level

Kids and young adults can likely safely increase activity every week or two. Older adults need more time (two to four weeks) to adapt. When inactive people slowly increase their activity level, there is no known risk for sudden cardiac events. There is also a very low risk of bone, joint, or muscle injuries

Losing Weight Is More Than Exercise

You must both exercise and change your eating habits to see a change on the scale. Some people notice their pants fit differently when they start

exercising, even if they haven't lost weight. That's because they've lost belly fat. This is very important because it's the most dangerous kind of fat. Belly fat leads to both diabetes and heart disease.

Add In Some Strength Training

Cardio alone is not enough! Without strength training, you start to lose muscle at age 40 if you're a woman and 50 if you're a man. You also lose bone as you age and strength training can help slow the loss of bone and rebuild lost muscle.

Stand More

Even if you exercise regularly, sitting for at least six hours a day leads to a higher risk of premature death than people who sat for less than three hours. We should all get up and move every 30 minutes or so.

What is an Emergency?

It means your life could be threatened or you could be hurt permanently (disabled) if you do not get care quickly.

If you are pregnant, it could mean harm to the health of your unborn child.

When should you go to the Emergency Room?

You should go to the ER when there is a danger to your life. Dangers to your life include:

- Difficulty breathing
- Severe burns
- ConvulsionsBroken bone
- Severe chest painSevere bleeding
- Blacking out (fainting)
- Vaginal bleeding in pregnancy



00

• Colds

• Pink eye

Mild fever

Rashes

• Bruises

Stomachache

What is not an emergency?

As individual symptoms these are usually not emergencies?

- Coughing
- Vomiting
- Diarrhea
- Earache
- Sore throat
- Toothache
- What should you do if it is not an emergency?

Call your doctor. Follow your doctor's advice. They will tell you where to be seen. It may be his office, an urgent care facility, or the ER.

Allergy-Proof Your House

Taking time to reduce the allergens in your home can improve the symptoms of hay fever or allergic asthma that you may be experiencing. Here are some steps to help you get started down the road to relief:



Bathroom:

- Install an exhaust fan if you don't already have one. Use it every time that you bathe or shower.
- Towel-dry the tub after use. Scrub any mold from the tub, shower, and faucets with a cleaner at least monthly. Clean moldy shower curtains or replace them with washable versions. Clean or replace moldy bathmats.
- Don't leave magazines or books in the bathroom. Paper absorbs moisture, and mold can grow between the pages.

日	E		
	•	•	

Kitchen:

- Install and use a vented exhaust fan to remove cooking fumes and reduce moisture.
- Wash dishes daily and scrub the sink and faucets to remove mold and food debris.
- Wipe up excess moisture in the refrigerator so that mold doesn't grow. Regularly clean out the fridge and discard moldy or out-of-date food. Clean drip pans and clean or replace any moldy door seals.



Bedroom:

- Replace wool or feathered bedding with bedding made of synthetic materials.
- Remove carpeting and use hardwood or linoleum flooring and washable area rugs. Or you can use low-pile carpeting and vacuum weekly.
- If you must have curtains, use curtains made of either cotton or synthetic fabrics. Frequently wash them if you open the windows.



1110 Main Street Wheeling, WV 26003-2704 1.888.613.8385 | healthplan.org