



Origination 4/1/2023

Last 2/10/2023

Approved

Effective 4/1/2023

Next Review 2/10/2024

Area Medical Policy
Lines Of All Lines of Business

Business

# **Thyroid Screening**

## **PURPOSE:**

This policy is designed to discuss the medical necessity criteria for thyroid testing.

## **DEFINITIONS:**

Hyperthyroidism: Hyperthyroidism (overactive thyroid) occurs when your thyroid gland produces too much of the hormone thyroxine. Hyperthyroidism can accelerate your body's metabolism, causing unintentional weight loss and a rapid or irregular heartbeat.

Hypothyroidism: Hypothyroidism (underactive thyroid) is a condition in which your thyroid gland doesn't produce enough of certain crucial hormones. Hypothyroidism may not cause noticeable symptoms in the early stages. Over time, untreated hypothyroidism can cause a number of health problems, such as obesity, joint pain, infertility and heart disease.

## PROCEDURE:

- 1. Thyroid testing is considered not medically necessary, and therefore non-covered, as part of normal routine screenings as it has not shown to improve health outcomes.
- 2. Thyroid testing may be considered medically necessary for any of the following indications:
  - a. In individuals with multiple symptoms of hypothyroidism or hyperthyroidism,
  - b. In individuals prescribed medications that may interfere with thyroid function,
  - c. Testing for thyrotropin-releasing hormone (TRH) in any of the following situations:
    - a. To distinguish between primary and secondary hypothyroidism, or
    - b. For the evaluation of the cause of hypothyroidism,
  - d. Pregnant individuals (Total T4 and anti-TPO antibodies),
  - e. Individuals who are postpartum or undergoing evaluation for infertility who are

- experiencing symptoms of thyroid disfunction,
- f. To evaluate individuals for the cause of postpartum depression (TSH, FT4, and thyroid peroxidase (TPO) tests),
- g. To evaluate a thyroid nodule,
- h. After head or neck radiation, thyroid surgery, or post-surgical evaluation, surveillance, and maintenance for differentiated thyroid carcinomas,
- i. To evaluate the cause of morbid obesity (BMI greater than or equal to 40 kgm/m<sup>2</sup>),
- j. Testing of residents in an area known for moderate to severe iodine insufficiency,
- k. Thyroid antibody testing in the evaluation of autoimmune thyroiditis,
- I. Testing for serum thyroglobulin and/or anti-thyroglobulin antibody levels for individuals with thyroid cancer for detection of tumor recurrence,
- Evaluation of children with short stature.
- 3. Testing may be covered up to two times a year in clinically stable patients; more frequent testing may be reasonable and necessary for patients whose thyroid therapy has been altered or in whom symptoms or signs of hyperthyroidism or hypothyroidism are noted.

#### **Exclusions:**

- 1. Testing for thyroid dysfunction in asymptomatic nonpregnant individuals for thyroid disease during general exam without abnormal findings
- 2. Testing of Reverse T3 and T3 uptake
- 3. Total T4 except for management of thyroid disease during pregnancy
- 4. Measurement of total or free T3 level when assessing levothyroxine (T4) dose in hypothyroid patients

### Additional Information:

- 1. Signs and symptoms of hyperthyroidism:
  - a. Anemia
  - b. Hyperactivity and rapid speech
  - c. Lid retraction and lid lag
  - d. Warm, moist skin
  - e. Tachycardia
  - f. Tremor
  - g. Proximal muscle weakness
  - h. Hyperreflexia
  - i. Exophthalmos
  - j. Periorbital and conjunctival edema
  - k. Goiter

- Sudden unexplained weight loss
- m. increased appetite
- n. Nervousness, anxiety, and irritability
- o. Sweating
- p. Changes in menstrual patterns
- q. Increased sensitivity to heat
- r. Changes in bowel habits, especially more frequent bowel movements
- s. Fatigue
- t. Thinning of the skin
- u. Fine, brittle hair

### 2. Signs and symptoms of hypothyroidism

- a. Anemia
- b. Slow movement and slow speech
- c. Delayed relaxation of tendon reflexes
- d. Bradycardia
- e. Carotenemia
- f. Coarse skin
- g. Constipation
- h. Fatigue
- i. Increased sensitivity to cold
- j. Unexplained weight gain
- k. Hoarseness
- I. Elevated blood cholesterol level
- m. Muscle aches, tenderness, and stiffness
- n. Pain, stiffness, or swelling of the joints
- o. Heavy or irregular periods
- p. Thinning hair
- q. Depression
- r. Impaired memory
- s. Puffy face and loss of eyebrows
- t. Periorbital edema
- u. Enlargement of the tongue
- v. Diastolic hypertension
- w. Pleural and pericardial effusions

- x. Ascites
- y. Galactorrhea

# **OPERATIONAL GUIDELINES (Internal use only):**

- This policy is to be implemented on a pre-payment basis for claims with the following code combinations:
  - Deny claims with 83520, 84432, 84436, 84437, 84439, 84442, 84443, 84445, 84479, 84480, 84481, 86376, or 86800 when combined with ANY of the non-covered diagnosis codes
  - Only deny the claim if the non-covered diagnosis code is the ONLY diagnosis code on the claim
  - Use denial code D055
- · Claims with any other code combinations are implemented on a post-payment basis

## **CODING:**

### **Procedure Codes:**

| CPT<br>Code | Description  |
|-------------|--|
| 83520       | Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, quantitative, not otherwise specified |
| 84432       | Thyroglobulin  |
| 84436       | Thyroxin; total  |
| 84437       | Thyroxin; requiring elution (e.g., neonatal)   |
| 84439       | Thyroxin; free   |
| 84442       | Thyroxin binding globulin (TBG)  |
| 84443       | Thyroid stimulating hormone (TSH)  |
| 84445       | Thyroid stimulating immune globulins (TSI)   |
| 84479       | Thyroid hormone (T3 or T4) uptake or thyroid hormone binding ratio (THBR)  |
| 84480       | Triiodothyronine T3; total (TT-3)  |
| 84481       | Triiodothyronine T3; free  |
| 86376       | Microsomal antibodies (e.g., thyroid or liver-kidney), each  |
| 86800       | Thyroglobulin antibody   |

### Non-Covered Diagnosis Codes:

| ICD-10 Code | Description |
|-------------|-------------|
|-------------|-------------|

| Z00.00  | Encounter for general adult medical examination without abnormal findings |
|---------|---|
| Z00.129 | Encounter for routine child health examination without abnormal findings  |

Covered Diagnosis Codes (This is not an all-inclusive list):

| ICD-10 Code     | Description  |
|-----------------|--|
| A18.81          | Tuberculosis of thyroid gland  |
| C73             | Malignant neoplasm of thyroid gland  |
| C75.8           | Malignant neoplasm with pluriglandular involvement, unspecified                        |
| C79.89-C79.9    | Secondary malignant neoplasm of other specified sites, unspecified site                |
| D09.3           | Carcinoma in situ of thyroid and other endocrine glands                                |
| D09.8           | Carcinoma in situ of other specified sites   |
| D34             | Benign neoplasm of thyroid gland   |
| D35.2-D35.3     | Benign neoplasm of pituitary gland, craniopharyngeal duct                              |
| D44.0           | Neoplasm of uncertain behavior of thyroid gland  |
| D44.2           | Neoplasm of uncertain behavior of parathyroid gland                                    |
| D44.9           | Neoplasm of uncertain behavior of unspecified endocrine gland                          |
| D49.7           | Neoplasm of unspecified behavior of endocrine glands and other parts of nervous system |
| D53.9           | Nutritional anemia, unspecified  |
| D59.0-D59.19    | Drug-induced and other autoimmune hemolytic anemias                                    |
| D64.89-D64.9    | Other specified/unspecified anemias  |
| D89.82          | Autoimmune lymphoproliferative syndrome [ALPS]   |
| D89.831-D89.839 | Cytokine release syndrome  |
| D89.89          | Other specified disorders involving the immune mechanism, not elsewhere classified     |
| E00.0-E07.9     | Disorders of thyroid gland   |
| E08.00-E13.9    | Diabetes mellitus  |
| E20.0-E20.9     | Hypoparathyroidism   |
| E22.1           | Hyperprolactinemia   |
| E22.8-E22.9     | Other/unspecified hyperfunction of pituitary gland                                     |
| E23.0-E23.1     | Hypopituitarism  |
| E23.6           | Other disorders of pituitary gland   |
| E25.0-E25.9     | Adrenogenital disorders  |

| E27.1-E27.49   | Adrenocortical insufficiency  |
|----------------|---|
| E28.310-E28.39 | Primary ovarian failure   |
| E29.1          | Testicular hypofunction   |
| E31.0-E31.9    | Polyglandular dysfunction   |
| E35            | Disorders of endocrine glands in diseases classified elsewhere                            |
| E43-E46        | Protein-calorie malnutrition  |
| E53.0          | Riboflavin deficiency   |
| E64.0          | Sequelae of protein-calorie malnutrition  |
| E67.1          | Hypercarotenemia  |
| E75.26         | Sulfatase deficiency  |
| E78.00-E78.2   | Pure hypercholesterolemia, pure hyperglyceridemia, mixed hyperlipidemia                   |
| E78.41-E78.5   | Other/unspecified hyperlipidemia  |
| E83.50-E83.59  | Disorders of calcium metabolism   |
| E83.81         | Hungry bone syndrome  |
| E87.0-E87.1    | Hyperosmolality and hypernatremia; hypo-osmolality and hyponatremia                       |
| E88.02         | Plasminogen deficiency  |
| E89.0          | Post-procedural hypothyroidism  |
| E89.2-E89.3    | Post-procedural hypoparathyroidism, hypopituitarism                                       |
| E89.6          | Post-procedural adrenocortical (-medullary) hypofunction                                  |
| F03.90         | Unspecified dementia without behavioral disturbance                                       |
| F05            | Delirium due to known physiological condition   |
| F06.0-F06.8    | Other mental disorders due to known physiological condition                               |
| F12.23         | Cannabis dependence with withdrawal   |
| F22            | Delusional disorders  |
| F23            | Brief psychotic disorder  |
| F07.0          | Personality change due to known physiological condition                                   |
| F30.10-F33.9   | Manic episode; bipolar disorder; depressive episode; major depressive disorder, recurrent |
| F34.81-F34.9   | Other/unspecified persistent mood [affective] disorders                                   |
| F39            | Unspecified mood [affective] disorder   |
| F41.0-F41.9    | Other anxiety disorders   |
| F50.82         | Avoidant/restrictive food intake disorder   |
| F53.0-F53.1    | Mental and behavioral disorder associated with the puerperium, not                        |

| G25.0-G25.2     | elsewhere classified  Essential, drug-induced, other specified forms of tremor                          |
|-----------------|---|
|                 | Essential, drug-induced, other specified forms of tremor  |
|                 | ,   |
| G25.70-G25.79   | Other and unspecified drug induced movement disorders   |
| G25.89-G26      | Other specified/unspecified extrapyramidal and movement disorders; and in diseases classified elsewhere |
| G30.0-G31.1     | Alzheimer's disease, frontotemporal dementia, senile degeneration of brain, not elsewhere classified    |
| G31.84          | Mild cognitive impairment, so stated  |
| G47.00-G47.09   | Insomnia  |
| G47.62          | Sleep related leg cramps  |
| G47.9           | Sleep disorder, unspecified   |
| G56.00-G56.03   | Carpal tunnel syndrome  |
| G56.13          | Other lesions of median nerve, bilateral upper limbs  |
| G56.23          | Lesion of ulnar nerve, bilateral upper limbs  |
| G56.33          | Lesion of radial nerve, bilateral upper limbs   |
| G56.43          | Causalgia of bilateral upper limbs  |
| G56.83          | Other specified mononeuropathies of bilateral upper limbs   |
| G56.93          | Unspecified mononeuropathy of bilateral upper limbs   |
| G57.83          | Other specified mononeuropathies of bilateral lower limbs   |
| G57.93          | Unspecified mononeuropathy of bilateral lower limbs   |
| G60.9           | Hereditary and idiopathic neuropathy, unspecified   |
| G61.82          | Multifocal motor neuropathy   |
| G71.9           | Primary disorder of muscle, unspecified   |
| G72.9           | Myopathy, unspecified   |
| G73.3-G73.7     | Myasthenic syndromes/myopathy in diseases classified elsewhere  |
| G93.3           | Postviral fatigue syndrome  |
| H02.531-H02.539 | Eyelid retraction   |
| H02.841-H02.849 | Edema of eyelid   |
| H02.881-H02.882 | Meibomian gland dysfunction of right upper/lower eyelid   |
| H02.884-H02.885 | Meibomian gland dysfunction of left upper/lower eyelid  |
| H05.20          | Unspecified exophthalmos  |
| H05.221-H05.229 | Edema of orbit  |
| H05.241-H05.259 | Exophthalmos; constant, intermittent  |

| H05.89<br>H11.421-H11.439<br>H49.00-H49.23<br>H49.40-H49.43 | Other disorders of orbit  Conjunctival edema, hyperemia  Nerve palsy; third [oculomotor], fourth [trochlear], sixth [abducent]  Progressive external ophthalmoplegia |
|---|--|
| H49.00-H49.23<br>H49.40-H49.43                              | Nerve palsy; third [oculomotor], fourth [trochlear], sixth [abducent]  Progressive external ophthalmoplegia  |
| H49.40-H49.43   | Progressive external ophthalmoplegia   |
|   |  |
| 1140 001 1140 0   |  |
| H49.881-H49.9   | Other/unspecified paralytic strabismus   |
| I10   | Essential (primary) hypertension   |
| l12.0-l13.2   | Hypertensive chronic kidney disease, heart and chronic kidney disease  |
| 116.0-116.9   | Hypertensive crisis  |
| 131.3   | Pericardial effusion (noninflammatory)   |
| 131.9   | Disease of pericardium, unspecified  |
| 147.1   | Supraventricular tachycardia   |
| 147.9   | Paroxysmal tachycardia, unspecified  |
| 148.0-148.21  | Paroxysmal atrial fibrillation, persistent/chronic atrial fibrillation   |
| 148.91  | Unspecified atrial fibrillation  |
| 149.2   | Junctional premature depolarization  |
| 149.8-149.9   | Other specified/unspecified cardiac arrhythmia   |
| J91.8   | Pleural effusion in other conditions classified elsewhere  |
| J96.00 - J96.02   | Acute respiratory failure  |
| J96.90 - J96.92   | Respiratory failure, unspecified   |
| K14.8   | Other diseases of tongue   |
| K52.21-K52.29   | Allergic and dietetic gastroenteritis and colitis  |
| K52.89  | Other specified noninfective gastroenteritis and colitis   |
| K56.0   | Paralytic ileus  |
| K56.7   | Ileus, unspecified   |
| K58.1-K58.8   | Irritable bowel syndrome with constipation, mixed or other irritable bowel syndrome  |
| K59.00-K59.09   | Constipation   |
| K59.39  | Other megacolon  |
| L11.0   | Acquired keratosis follicularis  |
| L29.9   | Pruritus, unspecified  |
| L60.1-L60.8   | Nail disorders   |
| L62   | Nail disorders in diseases classified elsewhere  |
| L63.0-L65.9   | Alopecia areata, androgenic alopecia, other nonscarring hair loss  |

| L66.0         | Pseudopelade  |
|---------------|---|
| L66.2         | Folliculitis decalvans  |
| L66.8-L66.9   | Other/unspecified cicatricial alopecia  |
| L80           | Vitiligo  |
| L85.0-L85.2   | Acquired ichthyosis; keratosis [keratoderma], keratosis punctata (palmaris et plantaris)    |
| L86           | Keratoderma in diseases classified elsewhere  |
| L87.0         | Keratosis follicularis et parafollicularis in cutem penetrans                               |
| L87.2         | Elastosis perforans serpiginosa   |
| M04.1-M04.9   | Autoinflammatory syndromes  |
| M32.0-M32.9   | Systemic lupus erythematosus (SLE)  |
| M33.00-M34.9  | Dermatopolymyositis; systemic sclerosis [scleroderma]                                       |
| M35.1         | Other overlap syndromes   |
| M35.5         | Multifocal fibrosclerosis   |
| M35.81-M35.9  | Multisystem inflammatory syndrome; systemic involvement of connective tissue unspecified    |
| M36.0         | Dermato(poly)myositis in neoplastic disease   |
| M36.8         | Systemic disorders of connective tissue in other diseases classified elsewhere              |
| M60.80-M60.9  | Other/unspecified myositis  |
| M62.50-M62.59 | Muscle wasting and atrophy, not elsewhere classified  |
| M62.81        | Muscle weakness (generalized)   |
| M62.9         | Disorder of muscle, unspecified   |
| M63.80-M63.89 | Disorders of muscle in diseases classified elsewhere  |
| M79.10-M79.18 | Myalgia   |
| M79.7         | Fibromyalgia  |
| M81.6-M81.8   | Localized osteoporosis [Lequesne]; other osteoporosis without current pathological fracture |
| M86.9         | Osteomyelitis, unspecified  |
| N91.0-N91.5   | Absent, scanty and rare menstruation  |
| N92.0         | Excessive and frequent menstruation with regular cycle                                      |
| N92.5-N92.6   | Other specified/unspecified irregular menstruation  |
| N94.4-N94.6   | Dysmenorrhea, primary, secondary, unspecified   |
|               |   |

| N97.0 - N97.9   | Female Infertility   |
|-----------------|--|
| 009.00-009.03   | Supervision of pregnancy with history of infertility   |
| 009.211-009.219 | Supervision of pregnancy with history of pre-term labor  |
| 009.511-009.529 | Supervision of elderly primigravida and multigravida   |
| 012.00-012.03   | Gestational edema (unspecified, first, second, third trimester), proteinuria, edema with proteinuria                 |
| 012.04-012.05   | Gestational edema complicating childbirth, the puerperium  |
| 012.10-012.13   | Gestational proteinuria (unspecified, first, second, third trimester)  |
| 012.20-012.23   | Gestational edema with proteinuria (unspecified, first, second, third trimester)                                     |
| 012.14-012.15   | Gestational proteinuria complicating childbirth, the puerperium  |
| 012.24-012.25   | Gestational edema with proteinuria complicating childbirth, the puerperium   |
| 013.1-013.3     | Gestational [pregnancy induced] hypertension without significant proteinuria (first, second, third trimester)        |
| 013.4-013.5     | Gestational [pregnancy-induced] hypertension without significant proteinuria complicating childbirth, the puerperium |
| 014.00-014.03   | Mild to moderate pre-eclampsia (unspecified, second, third trimester)  |
| 014.04-014.05   | Mild to moderate pre-eclampsia complicating childbirth, the puerperium   |
| 014.10-014.13   | Severe pre-eclampsia (unspecified, second, third trimester)  |
| 014.14-014.15   | Severe pre-eclampsia complicating childbirth, the puerperium   |
| 014.20-014.23   | HELLP syndrome (unspecified, second, third trimester)  |
| 014.24-014.25   | HELLP syndrome complicating childbirth, the puerperium   |
| 014.90-014.93   | Unspecified pre-eclampsia (unspecified, second, third trimester)   |
| 014.94-014.95   | Unspecified pre-eclampsia complicating childbirth, the puerperium  |
| 016.1-016.3     | Unspecified maternal hypertension (first, second, third trimester)   |
| 016.4-016.5     | Unspecified maternal hypertension complicating childbirth, the puerperium  |
| 024.011-024.33  | Pre-existing type 1, type 2, unspecified diabetes mellitus in pregnancy, childbirth and the puerperium               |
| 024.410-024.414 | Gestational diabetes mellitus in pregnancy, diet controlled/insulin controlled                                       |
| 024.415         | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs                                    |
| 024.420-024.424 | Gestational diabetes mellitus in childbirth, diet controlled/insulin controlled                                      |
| 024.425         | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic   |
|                 |  |

|                   | drugs  |
|-------------------|--|
| 024.430-024.434   | Gestational diabetes mellitus in the puerperium, diet controlled/insulin controlled                        |
| 024.435           | Gestational diabetes mellitus in the puerperium, controlled by oral hypoglycemic drugs                     |
| 024.811-024.93    | Other pre-existing/unspecified diabetes mellitus in pregnancy, childbirth, and the puerperium              |
| 026.20-026.23     | Pregnancy care for patient with recurrent pregnancy loss   |
| 036.8310-036.8399 | Maternal care for abnormalities of the fetal heart rate or rhythm  |
| 044.20-044.53     | Partial placenta previa, low lying placenta  |
| 090.5             | Postpartum thyroiditis   |
| 092.29            | Other disorders of breast associated with pregnancy and the puerperium                                     |
| 099.210-099.215   | Obesity complicating pregnancy, childbirth, and the puerperium   |
| 099.280-099.285   | Other endocrine, nutritional and metabolic diseases complicating pregnancy, childbirth, and the puerperium |
| P04.40            | Newborn affected by maternal use of unspecified drugs of addiction   |
| P04.42            | Newborn affected by maternal use of hallucinogens  |
| P05.09            | Newborn light for gestational age, 2500 grams and over   |
| Q38.2             | Macroglossia   |
| Q89.2             | Congenital malformations of other endocrine glands   |
| R00.0-R00.2       | Tachycardia/bradycardia unspecified, palpitations  |
| R06.00            | Dyspnea, unspecified   |
| R06.09            | Other forms of dyspnea   |
| R06.1             | Stridor  |
| R06.83-R06.89     | Snoring, other abnormalities of breathing  |
| R07.0             | Pain in throat   |
| R09.89            | Other specified symptoms and signs involving the circulatory and respiratory systems                       |
| R13.0-R13.19      | Aphagia and dysphagia  |
| R18.0-R18.8       | Ascites  |
| R19.4             | Change in bowel habit  |
| R19.7-R19.8       | Diarrhea, unspecified; other specified symptoms and signs involving the digestive system and abdomen       |
| R20.0-R20.9       | Disturbances of skin sensation   |

| R23.4-R23.9       | Changes in skin texture; other/unspecified skin changes                    |
|-------------------|--|
| R25.0-R25.9       | Abnormal involuntary movements   |
| R27.0-R27.9       | Other lack of coordination   |
| R29.2             | Abnormal reflex  |
| R29.700-R29.742   | National Institutes of Health Stroke Scale (NIHSS) score                   |
| R40.0-R40.1       | Somnolence, stupor   |
| R40.20-R40.2124   | Unspecified coma; coma scale, eyes open never or eyes open to pain         |
| R40.2210-R40.2224 | Coma scale, best verbal response none or incomprehensible words            |
| R40.2310-R40.2324 | Coma scale, best motor response none or extension                          |
| R40.2340-R40.2344 | Coma scale, best motor response flexion withdrawal                         |
| R40.2410-R40.2444 | Glasgow coma scale score   |
| R40.4             | Transient alteration of awareness  |
| R41.0-R41.3       | Disorientation, amnesia  |
| R41.82            | Altered mental status, unspecified   |
| R41.9             | Unspecified symptoms and signs involving cognitive functions and awareness |
| R45.0-R45.1       | Nervousness, restlessness and agitation                                    |
| R45.3-R45.4       | Demoralization and apathy, irritability and anger                          |
| R45.81-R45.82     | Low self-esteem worries  |
| R45.84            | Anhedonia  |
| R45.86-R45.87     | Emotional lability, impulsiveness  |
| R45.89            | Other symptoms and signs involving emotional state                         |
| R47.02            | Dysphasia  |
| R47.1             | Dysarthria and anarthria   |
| R47.81            | Slurred speech   |
| R47.89-R47.9      | Other and unspecified speech disturbances                                  |
| R49.0             | Dysphonia  |
| R49.21-R49.8      | Hypernasality and hyponasality, other voice and resonance disorders        |
| R50.2-R50.9       | Drug induced fever, other specified and unspecified fever                  |
| R52               | Pain, unspecified  |
| R53.0-R53.83      | Malaise and fatigue  |
| R60.0-R60.9       | Edema, not elsewhere classified  |
| R61               | Generalized hyperhidrosis  |
|                   |  |

| R63.0           | Anorexia  |
|-----------------|---|
| R63.2           | Polyphagia  |
| R63.4           | Abnormal weight loss  |
| R63.5           | Abnormal weight gain  |
| R68.0           | Hypothermia, not associated with low environmental temperature  |
| R68.81          | Early satiety   |
| R68.83          | Chills (without fever)  |
| R68.89          | Other general symptoms and signs  |
| R73.03          | Prediabetes   |
| R90.89          | Other abnormal findings on diagnostic imaging of central nervous system   |
| R94.6           | Abnormal results of thyroid function studies  |
| T66.XXXA        | Radiation sickness, unspecified, initial encounter  |
| U07.1           | Covid-19  |
| Z05.0-Z05.9     | Encounter for observation and evaluation of newborn for suspected diseases and conditions ruled out                                 |
| Z08-Z09         | Encounter for follow-up examination after completed treatment for malignant neoplasms, for conditions other than malignant neoplasm |
| Z19.1-Z19.2     | Hormone sensitivity malignancy status   |
| Z31.7           | Encounter for procreative management and counseling for gestational carrier   |
| Z79.3           | Long term (current) use of hormonal contraceptives  |
| Z79.84          | Long term (current) use of oral hypoglycemic drugs  |
| Z79.891-Z79.899 | Long term (current) use of opiate analgesic, other drug therapy   |
| Z83.430         | Family history of elevated lipoprotein(a)   |
| Z84.82          | Family history of sudden infant death syndrome  |
| Z85.020         | Personal history of malignant carcinoid tumor of stomach  |
| Z85.030         | Personal history of malignant carcinoid tumor of large intestine  |
| Z85.040         | Personal history of malignant carcinoid tumor of rectum   |
| Z85.060         | Personal history of malignant carcinoid tumor of small intestine  |
| Z85.110         | Personal history of malignant carcinoid tumor of bronchus and lung  |
| Z85.230         | Personal history of malignant carcinoid tumor of thymus   |
| Z85.520         | Personal history of malignant carcinoid tumor of kidney   |
| Z85.821         | Personal history of Merkel cell carcinoma   |

| Z85.850 | Personal history of malignant neoplasm of thyroid   |
|---------|---|
| Z85.858 | Personal history of malignant neoplasm of other endocrine glands  |
| Z86.2   | Personal history of diseases of the blood and blood forming organs and certain disorders involving the immune mechanism |
| Z86.32  | Personal history of gestational diabetes  |
| Z86.39  | Personal history of other endocrine, nutritional and metabolic disease  |

## **REFERENCES:**

Screening for Thyroid Dysfunction: U.S. Preventive Services Task Force Recommendation Statement. Ann Intern Med.2015; 162:641-650. doi:10.7326/

M15-0483. <a href="https://www.uspreventiveservicestaskforce.org/uspstf/recommendation/thyroid-dysfunction-screening-accessed-July 13, 2022">https://www.uspreventiveservicestaskforce.org/uspstf/recommendation/thyroid-dysfunction-screening-accessed-July 13, 2022</a>.

Clinical practice guidelines for hypothyroidism in adults: cosponsored by the American Association of Clinical Endocrinologists and the American Thyroid Association J Garber, R Cobin, H Gharib, J Hennessey, I Klein, J Mechanick, R Pessah-Pollack, P Singer, K Woeber, for the American Association of Clinical Endocrinologists and American Thyroid Association Taskforce on Hypothyroidism in Adults. Endocrine Practice Vol 18 2012. Accessed July 13, 2022.

Garcia M, Baskin HJ, Feld S, et al. American Association of Clinical Endocrinologists clinical practice guidelines for the evaluation and treatment of hyperthyroidism and hypothyroidism. Endocr Pract. 1995; 1:54-62. Accessed July 13, 2022.

Stagnaro-Green A, Abalovich M, et al. Guidelines of the American Thyroid Association for the diagnosis and management of thyroid disease during pregnancy and postpartum. Thyroid. 2011; 21:1081-1125. Accessed July 13, 2022.

Bahn RS, Burch HB, Cooper DS, et al. Hyperthyroidism and other causes of thyrotoxicosis: management guidelines of the American Thyroid Association and American Association of Clinical Endocrinologists. Endocr Pract. 2011; 17:456-520.

Sawin CT, Castelli WP, Hershman JM, McNamara P, Bacharach P. The aging thyroid. Thyroid deficiency in the Framingham Study. Arch Intern Med. 1985; 145:1386-1388. Accessed July 13, 2022.

Vanderpump MP, Tunbridge WM, French JM, et al. The incidence of thyroid disorders in the community: a twenty-year follow-up of the Whickham Survey. Clin Endocrinol (Oxf). 1995; 43:55-68. Accessed July 13, 2022.

Gharib H, Tuttle RM, Baskin HJ, Fish LH, Singer PA, McDermott MT. Subclinical thyroid dysfunction: a joint statement on management from the American Association of Clinical Endocrinologists, the American Thyroid Association, and the Endocrine Society. J Clin Endocrinol Metab. 2005; 90:581-585; discussion 586-587. Accessed July 13, 2022.

Vaidya B, Anthony S, Bilous M, Shields B, Drury J, Hutchison S, Bilous R. Detection of thyroid dysfunction in early pregnancy: universal screening or targeted high-risk case finding? J Clin Endocrinol Metab. 2007;

92:203-207. Accessed July 14, 2022

Negro R, Schwartz A, Gismondi R, Tinelli A, Mangieri T, Stagnaro-Green A. Universal screening versus case finding for detection and treatment of thyroid hormonal dysfunction during pregnancy. J Clin Endocrinol Metab. 2010; 95:1699-1707. Accessed July 14, 2022

Thung SF, Funai EF, Grobman WA. The cost-effectiveness of universal screening in pregnancy for subclinical hypothyroidism. Am J Obstet Gynecol. 2009; 200:267 e261-267. Accessed July 14, 2022

Weiss RE, Refetoff S 2010 Thyroid function testing. In: Jameson JL, DeGroot LJ, eds. Accessed July 14, 2022

Endocrinology: Adult and Pediatric. 6th edition. Philadelphia, PA; Saunders Elsevier; 2010: 1444-1492. Accessed July 14, 2022

Barbesino G. Drugs affecting thyroid function. Thyroid. 2010; 20:763-770. Accessed July 14, 2022

Hamnvik OP, Larsen PR, Marqusee E. Thyroid dysfunction from antineoplastic agents. J Natl Cancer Inst. 2011; 103:1572-1578. Accessed July 14, 2022

Surks, MI, Ross, DS. "Drug interactions with thyroid hormones". 2011. Accessed July 14, 2022

Surks, MI, Sievert, R. "Drugs and thyroid function". N Engl J Med. vol. 333. 1995. pp. 1688-94. Accessed July 14, 2022

Barbesino, G. "Drugs affecting thyroid function". Thyroid. vol. 20. 2010. pp. 763-70. Accessed July 14, 2022

Okosieme O, Gilbert J, Abraham P, et al. Management of primary hypothyroidism: statement by the British Thyroid Association Executive Committee. Clin Endocrinol (Oxf) 2016; 84:799–808. Accessed July 14, 2022

Canaris GJ, Manowitz NR, Mayor G, Ridgway EC. The Colorado thyroid disease prevalence study. Arch Intern Med. 2000; 160:526–534. Accessed July 14, 2022

Gaitonde DY, Rowley KD, Sweeney LB. Hypothyroidism: an update. Am Fam Physician. 2012; 86:244–251. Accessed July 14, 2022

Casey BM, Dashe JS, Spong CY, et al. Perinatal significance of isolated maternal hypothyroxinemia identified in the first half of pregnancy. Obstet Gynecol 2007; 109:1129. Accessed July 14, 2022

Liu H, Shan Z, Li C, et al. Maternal subclinical hypothyroidism, thyroid autoimmunity, and the risk of miscarriage: a prospective cohort study. Thyroid 2014; 24:1642. Accessed July 11, 2022.

Mayo Clinic. Hyperthyroidism (overactive thyroid). November 14, 2020. Accessed July 14, 2022. <a href="https://www.mayoclinic.org/diseases-conditions/hyperthyroidism/symptoms-causes/syc-20373659">https://www.mayoclinic.org/diseases-conditions/hyperthyroidism/symptoms-causes/syc-20373659</a>

Mayo Clinic. Hypothyroidism (underactive thyroid). November 19, 2020. Accessed July 14, 2022. <a href="https://www.mayoclinic.org/diseases-conditions/hypothyroidism/symptoms-causes/syc-20350284">https://www.mayoclinic.org/diseases-conditions/hypothyroidism/symptoms-causes/syc-20350284</a>

The American College of Obstetrics and Gynecologists (ACOG). Indications for Outpatient Antenatal Fetal Surveillance. Committee Opinion Number 828. June 2021. Accessed July 14, 2022.

## **POST-PAYMENT AUDIT STATEMENT:**

The medical record must include documentation that reflects the medical necessity criteria and is subject to audit by THP at any time pursuant to the terms of your provider agreement.

## **DISCLAIMER:**

This policy is intended to serve as a guideline only and does not constitute medical advice, any guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy is intended to address medical necessity guidelines that are suitable for most individuals. Each individual's unique clinical situation may warrant individual consideration based on medical records. Individual claims may be affected by other factors, including but not necessarily limited to state and federal laws and regulations, legislative mandates, provider contract terms, and THP's professional judgment. Reimbursement for any services shall be subject to member benefits and eligibility on the date of service, medical necessity, adherence to plan policies and procedures, claims editing logic, provider contractual agreement, and applicable referral, authorization, notification, and utilization management guidelines. Unless otherwise noted within the policy, THP's policies apply to both participating and non-participating providers and facilities. THP reserves the right to review and revise these policies periodically as it deems necessary in its discretion, and it is subject to change or termination at any time by THP. THP has full and final discretionary authority for its interpretation and application. Accordingly, THP may use reasonable discretion in interpreting and applying this policy to health care services provided in any particular case.

No part of this policy may be reproduced, stored in a retrieval system, or transmitted, in any shape or form or by any means, whether electronic, mechanical, photocopying or otherwise, without express written permission from THP. When printed, this version becomes uncontrolled. For the most current information, refer to the following website: healthplan.org.

All Revision Dates 2/10/2023